


ON G/W/D

THIS DRAWING IS PROPRIETARY TO DSS  
 AND IS NOT TO BE REPRODUCED  
 WITHOUT THE PERMISSION OF DSS  
 0121201 株式会社 東星

배기처



(UNIT:mm)

L	L1	L2	L3	-
-5	STOPPER	6	P.P	
-4	FLOAT	3	P.P	
-3	STEM	1	P.V.C	
-2	NUT	1	P.V.C	
-1	LEAD WIRES	4	P.V.C	
1	DFR-13P-3F	1	-	
ITEM NO	PART NAME	QTY	MATERIAL	
SPECIFICATION				
MODEL NAME	DFR-13P-3F			
PRESSURE	MAX.2Kg/cm <sup>2</sup>			
TEMPERATURE	MAX.80°C			
APPLICATIONS	WATER, MEDICAL LIQUID			
SWITCHING CURRENT	AC220V,0.2A,50VA			
MOUNTING METHOD	TOP & BOTTOM			
MOUNTING SIZE	M12			
REMARKS :				
ORDER MADE(L1, L2, L3, L=L3+19)				

NO	DATE	REVISION	APPD BY	K.B.HAN	TOLERANCES-UNLESS OTHERWISE SPECIFIED				DONG SUNG SENSORS CO.,LTD. TEL:(02)2025-8988-9 FAX:(02)2025-8987				UNIT	MM, <del>inch</del>	APPAR.		
	2014.07.27	INITIAL RELEASE			WORK SIZE	TURN PHOSF. DIST OF HOLE STR.	MOLD. DIE CTG. PUNCH CTG. DRAW	SP. MET. WELD. GAS CTG.	CASTG. FORG.	표준	DRWN BY	DESND BY	CHKD BY	APPD BY	SCALE	N/S	TITLE
					4	±0.1	±0.2	±0.0	±0.5	임시	J.H.HAN	K.B.HAN			3RD ANGLE	3각법	DFR-13P-3F
					4	±0.2	±0.3	±0.5	±0.7	보류					REF. NO	DWG. NO	
					16	±0.3	±0.4	±0.7	±0.9	DATE	2017.04.18.	2017.04.19.			참고도면	도면번호	
					E3	±0.4	±0.5	±1.2	±1.3								
					E5	±0.5	±0.6	±1.5	±1.8								
					E8	±0.6	±0.8	±2.0	±2.5								
					E10	±0.8	±1.0	±2.5	±3.3								
					E12	±1.0	±1.5	±3.0	±4.0								
					E14	±1.5	±2.0	±4.0	±5.0								
					E16	±2.0	±2.5	±5.0	±6.0								
					E18	±2.5	±3.0	±6.0	±7.0								
					E20	±3.0	±4.0	±7.0	±8.0								
					E22	±4.0	±5.0	±8.0	±10.0								
					E24	±5.0	±6.0	±10.0	±12.0								
					E26	±6.0	±7.0	±12.0	±15.0								
					E28	±7.0	±8.0	±15.0	±18.0								
					E30	±8.0	±9.0	±18.0	±22.0								
					E32	±9.0	±10.0	±20.0	±25.0								
					E34	±10.0	±11.0	±22.0	±28.0								
					E36	±11.0	±12.0	±24.0	±30.0								
					E38	±12.0	±13.0	±26.0	±33.0								
					E40	±13.0	±14.0	±28.0	±35.0								
					E42	±14.0	±15.0	±30.0	±38.0								
					E44	±15.0	±16.0	±32.0	±40.0								
					E46	±16.0	±17.0	±34.0	±42.0								
					E48	±17.0	±18.0	±36.0	±45.0								
					E50	±18.0	±19.0	±38.0	±48.0								
					E52	±19.0	±20.0	±40.0	±50.0								
					E54	±20.0	±21.0	±42.0	±52.0								
					E56	±21.0	±22.0	±44.0	±55.0								
					E58	±22.0	±23.0	±46.0	±58.0								
					E60	±23.0	±24.0	±48.0	±60.0								
					E62	±24.0	±25.0	±50.0	±63.0								
					E64	±25.0	±26.0	±52.0	±66.0								
					E66	±26.0	±27.0	±54.0	±69.0								
					E68	±27.0	±28.0	±56.0	±72.0								
					E70	±28.0	±29.0	±58.0	±75.0								
					E72	±29.0	±30.0	±60.0	±78.0								
					E74	±30.0	±31.0	±62.0	±81.0								
					E76	±31.0	±32.0	±64.0	±84.0								
					E78	±32.0	±33.0	±66.0	±87.0								
					E80	±33.0	±34.0	±68.0	±90.0								
					E82	±34.0	±35.0	±70.0	±93.0								
					E84	±35.0	±36.0	±72.0	±96.0								
					E86	±36.0	±37.0	±74.0	±99.0								
					E88	±37.0	±38.0	±76.0	±102.0								
					E90	±38.0	±39.0	±78.0	±105.0								
					E92	±39.0	±40.0	±80.0	±108.0								
					E94	±40.0	±41.0	±82.0	±111.0								
					E96	±41.0	±42.0	±84.0	±114.0								
					E98	±42.0	±43.0	±86.0	±117.0								
					E100	±43.0	±44.0	±88.0	±120.0								